F-832

# SD-7250.1

#### AMENDMENTS TO THE CLAIMS

- · Please amend the claims as follows:
- (CANCELLED) 1.
- (currently amended) The formulation according to claim [[1]] 17, wherein said 2. cationic surfactant comprises a quaternary ammonium salt selected from the group consisting of cetyltrimethyl ammonium bromide, benzalkonium chloride, benzethonium chloride, cetylpyridinium chloride, alkyldimethylbenzylammonium salt, tetrabutyl ammonium bromide, and a mixture of benzyl (C12-C16) alkyldimethylammonium chlorides, and combinations thereof.
- (currently amended) The formulation according to claim [[1]] 17, further 3. comprising a water-soluble polymer selected from the group consisting of polyvinyl alcohol, quar gum, (cationic or non-ionic) polydiallyl dimethyl ammonium chloride, polyacrylamide, poly (ethylene oxide), glycerol, polyethylene glycol 8000 (PEG 8000), and guar gum 2-hydroxypropyl ether, and combinations thereof.
- (currently amended) The formulation according to claim [[1]] 17, further 4. comprising a fatty alcohol comprising from 8 to 20 carbon atoms per molecule.
- 5. (currently amended) The formulation according to claim [[1]] 17, further comprising a solvent selected from the group consisting of Di(propylene glycol) methyl ether, diethylene glycol monobutyl ether, and combinations thereof.
- (currently amended) The formulation according to claim [[1]] 17, further 6. comprising a wherein the carbonate or bicarbonate salt is selected from the group

consisting of potassium bicarbonate, sodium bicarbonate, ammonium bicarbonate, ammonium bicarbonate, ammonium carbonate, and potassium carbonate, and combinations thereof.

- 7. (currently amended) The formulation according to claim [[1]] 17, wherein said bleaching activator comprises one or more water-soluble bleaching activators selected from the group consisting of acetylcholine chloride, 4-cyanobenzoic acid, ethylene glycol diacetate, propylene glycol monomethyl ether acetate, methyl acetate, dimethyl glutarate, diethylene glycol monoethyl ether acetate, glycerol diacetate (Diacetin), glycerol monoacetate, glycerol triacetate, and propylene glycol diacetate, and combinations thereof.
- 8. (currently amended) The formulation according to claim [[1]] 17, wherein said bleaching activator comprises one or more water-insoluble bleaching activators selected from the group consisting of tetraacetyl ethylenediamine (TAED), n-nonanoyloxybenzenesulfonate (NOBS), and N-acetyl glucosamine, and combinations thereof.
- 9. (currently amended) The formulation according to claim [[1]] 17 consisting essentially of:
  - 1-10% benzalkonium chloride;
  - 1-8% propylene glycol diacetate or glycerol diacetate;
  - 1-16% hydrogen peroxide;
  - 2-8% potassium bicarbonate:
  - a sufficient amount of the sorbent additive, such that a freely flowing powder results when the sufficient amount of sorbent additive is mixed with the 1-8% propylene glycol diacetate or glycerol diacetate; and balance water.

Application No. 10/623,370 SD-7250.1

### 10. (Cancelled)

11. (currently amended) The formulation according to claim [[1]] 17, wherein said sorbent additive comprises one or more polyol compounds selected from the group consisting of sorbitol, mannitol, hydrogenated starch hydrolysates, maltitol, zylitol, lactitol monohydrate, anhydrous isomalt, erythritol, and polydextrose, and combinations thereof.

## 12-16. (CANCELLED)

- 17. (previously presented) A formulation for use in neutralization of a toxant, said formulation comprising:
  - a cationic surfactant;
  - a reactive compound comprising one or more compounds selected from the group consisting of hydrogen peroxide, urea hydrogen peroxide, hydroperoxycarbonate, peracetic acid, sodium perborate, sodium peroxypyrophosphate, sodium peroxysilicate, and sodium percarbonate;
  - a bleaching activator selected from the group consisting of O-acetyl, N-acetyl, and nitrile group bleaching activators;
  - a sorbent additive selected from the group consisting of calcium hypochlorite, calcium chloride, dendritic salt, polyols, urea, and potassium bromide, and combinations thereof; and
  - a carbonate or bicarbonate salt, not one of the reactive compounds;
  - wherein said cationic surfactant, said reactive compound, said bleaching activator, said sorbent additive, and said carbonate or bicarbonate salt, when mixed with water and exposed to the toxant, neutralizes the toxant.
- 18. (Original) The formulation according to claim 17, wherein said cationic surfactant comprises a quaternary ammonium salt comprising benzalkonium chloride.

T-330 P.006/018 F-832

Application No. 10/623,370

SD-7250.1

19. (currently amended) The formulation according to claim 17, wherein said carbonate or bicarbonate salt comprises one or more compounds selected from the group consisting potassium bicarbonate, sodium bicarbonate, ammonium bicarbonate, ammonium bicarbonate, ammonium carbonate, and potassium carbonate, and combinations thereof, further comprising a cationic hydrotrope.

20. (previously presented) The formulation according to claim 17 consisting essentially of said cationic surfactant, said reactive compound, said bleaching activator, said sorbent additive, said carbonate or bicarbonate salt, and water.

21-33. (CANCELLED)

Application No. 10/623,370 SD-7250.1

- 34. (previously presented) A formulation for use in neutralization of a toxant, said formulation comprising:
  - a cationic surfactant;
  - a reactive compound comprising one or more compounds selected from the group consisting of hydrogen peroxide, urea hydrogen peroxide, hydroperoxycarbonate, peracetic acid, sodium perborate, sodium peroxypyrophosphate, sodium peroxysilicate, and sodium percarbonate;
  - a sorbent additive; and
  - a water-soluble bleaching activator selected from the group consisting of acetylcholine chloride, 4-cyanobenzoic acid, ethylene glycol diacetate, propylene glycol monomethyl ether acetate, methyl acetate, dimethyl glutarate, diethylene glycol monoethyl ether acetate, glycerol diacetate (Diacetin), glycerol monoacetate, glycerol triacetate, and propylene glycol diacetate, and combinations thereof;
  - wherein said cationic surfactant, said reactive compound, said sorbent additive, and said water-soluble bleaching activator, when mixed with water and exposed to the toxant, neutralizes the toxant; and
  - wherein said sorbent additive comprises one or more polyol compounds selected from the group consisting of sorbitol, mannitol, hydrogenated starch hydrolysates, maltitol, zylitol, lactitol monohydrate, anhydrous isomalt, erythritol, and polydextrose, and combinations thereof.

Application No. 10/623,370 SD-7250.1

- 35. (Currently Amended) A formulation for use in neutralization of a toxant, said formulation comprising:
  - at least one solubilizing compound, selected from the group consisting of a cationic hydrotrope and a fatty alcohol comprising from 8 to 20 carbon atoms per molecule;
  - a reactive compound comprising one or more compounds selected from the group consisting of hydrogen peroxide, urea hydrogen peroxide, hydroperoxycarbonate, peracetic acid, sodium perborate, sodium peroxypyrophosphate, sodium peroxysilicate, and sodium percarbonate;
  - a sorbent additive <u>selected from the group consisting of calcium hypochlorite</u>, <u>calcium chloride</u>, <u>dendritic salt</u>, <u>polyols</u>, <u>urea</u>, <u>and potassium bromide</u>, <u>and combinations thereof</u>; and
  - a bleaching activator selected from the group consisting of O-acetyl, N-acetyl, and nitrile group bleaching activators;
  - wherein said at least one solubilizing compound, said reactive compound, said sorbent additive, and said bleaching activator, when mixed with water and exposed to the toxant, neutralizes the toxant.

36-38. (CANCELLED)

+15058442829

SD-7250.1

- 39. (previously presented) A formulation for use in neutralization of a toxant, said formulation comprising:
  - a cationic surfactant:
  - a reactive compound comprising one or more compounds selected from the group consisting of hydrogen peroxide, urea hydrogen peroxide, hydroperoxycarbonate, peracetic acid, sodium perborate, sodium peroxypyrophosphate, sodium peroxysilicate, and sodium percarbonate;
  - a bleaching activator selected from the group consisting of O-acetyl, N-acetyl, and nitrile group bleaching activators; and
  - a sorbent additive comprising a sugar alcohol;
  - wherein said cationic surfactant, said reactive compound, said bleaching activator, said sorbent additive, and said carbonate or bicarbonate salt, when mixed with water and exposed to the toxant, neutralizes the toxant.
- 40. (currently amended) The formulation of claim 39, A formulation for use in neutralization of a toxant, said formulation comprising:
  - a cationic surfactant;
  - a reactive compound comprising one or more compounds selected from the group consisting of hydrogen peroxide, urea hydrogen peroxide, hydroperoxycarbonate, peracetic acid, sodium perborate, sodium peroxypyrophosphate, sodium peroxysilicate, and sodium percarbonate;
  - a bleaching activator selected from the group consisting of O-acetyl, N-acetyl, and nitrile group bleaching activators; and
  - a sorbent additive comprising a sugar alcohol;
  - wherein said cationic surfactant, said reactive compound, said bleaching activator, said sorbent additive, and said carbonate or bicarbonate salt, when mixed with water and exposed to the toxant, neutralizes the toxant.
  - wherein the sorbent additive is sorbitol.

41. (currently amended) The formulation of claim [[39]] 40, wherein the bleaching activator is propylene glycol diacetate or glycerol diacetate.

## 42. (cancelled)

- 43. (NEW) The formulation of claim 19, wherein the cationic hydrotrope is selected from the group consisting of tetrapentyl ammonium bromide, triacetyl methyl ammonium bromide, tetrabutyl ammonium bromide, and pentamethyltallow alkyltrimethylenediammonium dichloride.
- 44. (NEW) The formulation of claim 7, wherein the bleaching activator is selected from the group consisting of acetylcholine chloride, 4-cyanobenzoic acid, propylene glycol monomethyl ether acetate, methyl acetate, dimethyl glutarate, diethylene glycol monoethyl ether acetate, glycerol diacetate (Diacetin), glycerol monoacetate, and propylene glycol diacetate, and combinations thereof.
- 45. (NEW) The formulation of claim 44, wherein the bleaching activator is acetylcholine chloride or 4-cyanobenzoic acid.